Gill Marketin Summer Specials Marketing



2013





Mobile Heated Cabinet

Halo Heat® Holding Cabinet, double compartment, on/off simple control with adjustable thermostats, indicator light, holding temperature gauge, (2) sets of chrome plated universal side rails, (4) sets of pan slides, (16) 20" x 12" x 2-1/2" full size pan capacity, heavy duty 20 gauge stainless steel exterior, 5" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, UL ANSI/NSF 4, cULus, CE.

1200-UP

\$3,733.32



Electric Cook Hold Oven Cabinet Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, 120 lb. capacity each - (4) full-size pans, (3) stainless steel wire shelves, simple controls with ON/OFF power switch, heavy duty stainless steel construction, 3-1/2" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, CE, NSF. 1000-TH-II \$3,868.32



Countertop Carving Station

Hot Carving Shelf, 30-7/8" x 26" x 30-7/8", indicator light, infrared lamp, (3) position ON/OFF toggle switch, cutting board, recessed surface, framed clear glass breath guard, 1" legs, 18 gauge stainless steel construction, EcoSmart®, cUL, CE, NSF. CS-200/S \$1,713.99



Combi Oven, Electric, Half Size CombiTherm® Oven/Steamer

Combination, electric, countertop, pressureless convection steamer mode, simple manual controls, capacity (14) 12" x 20" full-size pans or (7) full-size sheet pans, stainless steel construction with tempered glass window, door hinged right, adjustable legs, EcoSmart®, cUL, CE. 7-14ES/S \$12,060.15



Electric Cook Hold Oven Cabinet

Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, two compartments, 120 lb. capacity each - (4) full-size pans per cavity, thermostatic controls with timer, heavy duty 20 gauge stainless steel, 5" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE.

1000-TH-I

\$6,917.46



Cart, Banquet Cabinet, Heated

Halo Heat® Banquet Cart, 96 plate capacity, ON/OFF power switch, up and down arrow keys, heat indicator light, temperature display key, digital display, electronic control, solid doors, stainless steel construction, (4) 6" heavy duty casters; 2 rigid, 2 swivel with brakes, EcoSmart®, ANSI/NSF 4, cULus, CE, IP X4.

1000-BQ2/96

\$3,585.60



Combi Oven, Gas, Full Size

CombiTherm® Oven/Steamer Deluxe Combination, gas, countertop, boiler-free, pressureless convection steamer mode, programmable menu, single point probe, low temperature steam & Retherm.,

electronic ignition, capacity (14) 20" x 12" x 2-1/2, fullsize pans or (7) full-size sheet pans, stainless steel construction with tempered glass window, door hinged right, adjustable legs, 91,000 BTU, EcoSmart®, ANSI/ NSF, cUL.

7-14ESG/DLX \$18,405.10



West Coast 800-777-1418 • East/Midwest 800-666-1418



Microwave Oven

Amana® Commercial Microwave Oven, countertop, **1800 watts**, 5 power levels, medium volume, 10 menu pads with capacity to program 100 menus, X2 quantity pad, Braille touch pads, removable air filter,

s/s exterior, s/s interior w/sealed-in ceramic shelf, side hinged door, full 3-yr warranty, 208-240v/60/1-ph, 2800 total watts, 13.5 amps, 5' cord & NEMA 6-20P, ETL. **RFS18TS** \$939.00



Microwave Oven

Amana® Commercial C-Max Microwave Oven, **1200 watts**, heavy volume, compact, stainless steel, stackable, X2 quantity pad, 11 power levels, 100 memory settings, side hinged door, full

3-year warranty, 120v/60/1-ph, 1900 total watts, 16.8 amps, 20 MCA, 5' cord & NEMA 5-20P. HDC12A2 \$757.00

Microwave Ovens 1000 Watts

MENUMASTER[®]



Microwave Oven

Menumaster® Commercial Microwave Oven, 1000 watts, low volume, stainless steel exterior wrap & interior, 10 menu pads with capacity to program 20 menus, 5 power levels, 3-stages,

braille touch pads, sealed in ceramic shelf, side hinged door with glass window, limited 3-yr warranty, 120v/60/1ph, 9.6 amps, 15 MCA, 5' cord & NEMA 5-15P, UL, ETL MCS10TS \$399.38



Microwave Oven

Amana® Commercial Microwave Oven, 1000 watts, medium volume, stainless steel interior & exterior, 10 menu pads with capacity to program 100 menus, 5 power levels, X2 quantity pad, braille

touch pads, non-removable air filter, side hinged door with glass window, limited 3-yr warranty, 120v/60/1-ph, 13.0 amps, 15 MCA, 5' cord & NEMA 5-15P, UL, ETL. RCS10TS \$355.00



Microwave Oven

Amana® Commercial Microwave Oven, 1000 watts, low volume, stainless steel exterior wrap & white powder coat painted interior, 10 menu pads with capacity

to program 20 menus, 5 power levels, 3-stages, braille touch pads, sealed in ceramic shelf, side hinged door with glass window, limited 3-yr warranty, 120v/60/1-ph, 9.6 amps, 15 MCA, 5' cord & NEMA 5-15P, UL, ETL. RMS10T \$244.00



Microwave Oven

Amana® Commercial Microwave Oven, 1000 watts, low volume, stainless steel exterior wrap & painted interior, 6-minute dial timer with illuminated digits and

end of cycle audible signal, 1 power level, side hinged door with glass window, 3-yr limited warranty, 120v/60/1ph, 9.6 amps, 15 MCA, 5' cord & NEMA 5-15P, UL, ETL. **RMS10D \$201.00**



Bun Pans

Aluminum. Tapered design for easy stacking. Cs. Pk. 12 ea. NSF.

<u>Standa</u>	ird Gauge
5324	Full Size 18" x 26" x 1"
5321	Half Size, 18" x 13" x 1"

<u>Cs. Price</u> \$108.91 \$64.64

Steam Table Pans & Covers

Stainless steel steam table pans are ideal for use in all steam tables. 18/8, 22 gauge. Full shoulders around pans prevent jamming during storage while adding strength and durability. Cs. Pk. 6 ea.

Steam Table Pans Cs.			
222004931	Full Size, 4" deep	\$100.91	
222002931	Full Size, 2 1/2" deep	\$79.50	
222024931	Half Size, 4" deep	\$68.19	
222022931	Half Size, 2 1/2" deep	\$50.01	
Flat Solid Covers			
77259	Full Size	\$66.25	
75129	Half Size	\$43.55	





Summer Specials 2013

West Coast 800-777-1418 • East/Midwest 800-666-1418



Wire Shelving

Patented QuadTruss® design, with mat wires welded to a four-truss assembly on front and back, and three-truss assembly on each end, EAGLEgard®

hybrid epoxy finish with MICROGARD® antimicrobial protection, NSF.

2448E	24"W x 48"L	\$53.29
2442E	24"W x 42"L	\$51.64
1848E	18"W x 48"L	\$42.96
2148E	21"W x 48"L	\$46.27

Post

Post, stationary application, 74"H EAGLEgard® hybrid epoxy finish with MICROGARD® antimicrobial protection, numerically grooved in 1" increments, post cap and leveling bolt, NSF. P74-E \$13.22



Wire Shelving Units, Chrome PlatedStarter Shelving Units, (4) wire shelveswith patented QuadTruss® design, (4)74" post, chrome-plated finish, NSF.S4-74-2448C24"W x 48"L\$219.77S4-74-2436C24"W x 36"L\$190.03



Wire Shelving Units, Epoxy Finish

Starter Shelving Units, (4) 18"W x 48"L wire shelves with patented QuadTruss® design, (4) 74" post, EAGLEgard® green epoxy finish with MICROGARD® antimicrobial protection, NSF. S4-74-1848E 18"W x 48"L \$224.73

Wire Shelving Units, Zinc Finish


Starter Shelving Units, (4) 24"W x 48"L wire shelves with patented QuadTruss® design, (4) 74" post, EAGLEbrite® zinc finish, NSF. S4-74-2448Z 24"W x 48"L \$204.90

Summer Specials 2013 West Coast 800-777-1418 • East/Midwest 800-666-1418



Tilting Skillet Braising Pan

Eclipse[™] Ergonomic Braising Pan, 10" deep pan, 38" pan height, thermostatic controls, manual tilt, standard etch marks, faucet bracket, vented cover, round tubular open leq base. stainless steel



BPM-30G 30 Gallon, Gas \$12,915.00



Kettle, Electric, Table Top Kettle, electric, table top,

20-quart capacity, 2/3 jacket, 304 stainless steel liner, hand tilt, faucet bracket. support console on right, stainless steel construction. **TDB-20** \$3,980.00

Shown with Left Hinged Door

Convection Steamer. Floor Model, Gas HyperSteam[™] Convection

Steamer, gas, 2 compartments with twin generators, 22" cabinet base, (3) 12" x 20" x 2-1/2" deep pans/compartment, stainless steel construction, dual water connection, door, bullet feet, 45,000 BTU per cavity. HY-6G \$14.373.30



hown with Left Hinged Door

Convection Steamer, Floor Model. Electric

HyperSteam[™] Convection Steamer, electric, doublestacked, stand mount, (3) 12" x 20" x 2-1/2" pans/ compartment capacity, stainless steel construction. dual water connection, bullet feet, 8.0 kW (2)HY-3EF \$10,895.00



Electric Kettle, Stationary

Kettle, electric, 60-gallon capacity, 2/3 jacket, 316 stainless steel liner, insulated & sheathed, open tri-leg base, stainless steel construction, 2" TDO. 1/4" perforated strainer & power aid cover, bullet feet, 30 PSI. 32.4 kW. EE-60

\$12,640.00



Boilerless Gas Steamer, Floor Model

SmartSteam[™] 100 Convection Steamer, gas, double-stacked, open leg stand bullet feet, (3) 12 x 20 x 2-1/2" pans capacity per compartment, boilerless, stainless steel interior & exterior, single water connection, 54.000 BTU each. (2)SSB-3GF \$13,290.00



Gas Kettle, Stationary

Kettle, gas, 80-gallon capacity, 2/3 jacket, 316 stainless steel liner, stainless steel insulated body, 2" TDO, 1/4" perforated strainer, power aid cover, faucet bracket, bullet feet, 30 PSI, 145,000 BTU. AH/1E-80 \$17,000.30





Hot Countertop Display Case Flav-R-Savor® holding and display cabinet, 1-door, 4 tier circle rack w/motor, with 6' cord and plug, 1440w.

FSDT-1 \$2,077.00

FSDT-1 in optional Designer Black



Toaster Conveyor Type

Toast King® Conveyor Toaster, vertical conveyor, countertop design, bread and bun toaster, approximately 960 units/hour capacity, stainless steel construction. **TK-100**

\$1.871.00



Toaster Conveyor Type

Toast-Qwik® Conveyor Toaster, horizontal convevor, countertop design, all bread types toaster, approximately 14 slice capacity/ 2" opening height, electronic controls, colorguard sensing system, UL, CE. **TQ-800** \$1,159.00

Toaster Conveyor Type

Toast-Qwik® Conveyor Toaster, horizontal conveyor, countertop design, all bread types toaster, approximately 5 slices/min capacity, 2" opening height, 4" legs, UL, CE. **TQ-10** \$672.00



Toaster Conveyor Type

Toast-Rite® Toaster. Electric Conveyor Type, horizontal conveyor, countertop design, bread and bun toaster, approximately 580 slices/hour capacity. stainless steel construction.



ITQ-1750-2C

Toaster Conveyor Type

Toast-Qwik® Conveyor Toaster, versatile enough to toast multiple products. melt cheese and finish small food, programmable touchpad holds up to 18 settings, single and dual toasters, twodirectional conveyor belt, four different toasting modes, ColorGuard optical product sensor, Spot-On technology, USB port for easy transfer of information, adjustable legs, non-stick return

ramp, removable crumb tray(s), easy to clean, power save mode, UL (not currently on GSA Contract). ITQ-1000-1C \$2.762.10

\$3.683.17



TRH-60 \$1.557.00



Countertop Electric Oven

Thermo-Finisher™ Food Finisher, Countertop, electric, (1) upper & (1) lower element, infrared ribbon element. microprocessor controls, reaches full temp. in 3 seconds, s/s housing. **TF-1919** \$2.263.00



GRCD-3PD Shown with Optional Pan Skirt, adjustable counter legs, Designer Color and Accessory Pans

GRCD-3PD-120-QS \$2,938.00



Countertop Heated Display Case

Glo-Ray® Designer Heated Display Case, tempered curved glass. countertop design, (3) pan Designer dual shelves, incandescent lighting, s/s interior, 4" 1710 watts, 120v/60/1.

Buffet Warmer

Glo-Ray® Buffet Warmer, countertop unit w/heated base, w/buffet style sneeze guards, with incandescent lights and heat from above. 31.13" wide.

\$1,311.00

GRBW-60 GRBW-30 shown with optional Designer color and accessory food pans

West Coast 800-777-1418 • East/Midwest 800-666-1418



Electric Food Slicer

Heavy Duty Meat Slicer, automatic, 13" CleanCut™ knife, anodized finish, (3) stroke lengths and (4) stroke speeds, removable meat grip assembly, removable ring guard cover, single action top mounted sharpener with Borazon™ stones, manual lift

lever, 1/2 hp motor, 120v/60hz/1-ph NSF cETLus. HS9N-1 \$5,968.82

HOBART



housing, 3" legs, 115/60/1, 1 hp, 6' cord w/plug. 84186-1 \$6,549.93

Electric Food Cutter

Food Cutter w/#12 attachment hub, 18" diameter s/s bowl 20 rpm, double s/s knives 1725 rpm, bowl cover w/ safety interlock, push/ pull on/off switch, onepiece burnished aluminum bp. 6' cord w/plug



Planetary Mixer

Mixer, Planetary, Bench, 20qt. capacity, 3 fixed speeds/stir speed, gear-driven trans, 15 min. SmartTimer, #12 taper attach hub, manual bowl lift, s/s bowl, aluminum "B" beater, s/s "D" wire whip, s/s bowl guard, 100-120/50/60/1, 1/2 hp, cord w/plug. HL200-1STD \$4,310.28



3-Pole/4-wire w/cordset, 2.8 kw. **ET27-4 \$888.67**

Pop Up Toaster

Toaster, Pop-Up, 4-slice bread toaster, 1" wide slots, approximately 290 slices/hour cap., solid-state temperature sensor & probes, removable crumb tray, s/s exterior, 120/208/240/50/60/1 VAC



Undercounter Dishwasher LXe Undercounter Dishwasher, Hot Water Sanitation, 32 Racks/ Hour, Fresh Water Rinse, .74 gal/rack, Delime Notification, Auto Chemical Priming, Service Diagnostics, 120/208-240(3W)/60/1, Detergent & Rinse Aid Pump, ENERGY STAR®. LXEH-2 \$5,95.56



Gas Convection Oven

Convection Oven, Nat. Gas, 2-deck, 60 minute timers, solid state controls - 500°F, 2-spd motors, porcelain int'r, (5) racks each, simultaneous doors w/glass, s/s front, sides & top, 8" s/s legs, 120/60/1, 1/2hp, 44,000BTU each sea level - 2000'.

HGC202-NATURAL \$8,198.30



Door Type Dishwasher

Dishwasher, Door Type, hot water/ chemical sanitizing, 58-65 racks/hour, straight-thru or corner, solid-state controls w/digital status, with booster heater, electric tank heat, auto-fill, s/s tank, frame, doors & feet, 208-240/60/3, ENER-GY STAR®. AM15-2 \$8,645



Fryer, Electric, 15¹/₂" W, free-standing, Stainless Steel Cabinet, Stainless Steel fry tank, 14¹/₈" x 15¹/₂", 50 pound shortening capacity, solid state digital control with melt cycles, twin baskets, 208/50-60/3, 17kW, legs. **1HF50D-1 \$2,997.31**

Electric Fryer, Floor Model, Full Pot







Ice Maker Dispenser, Nugget Style Ice Maker/Water Dispenser, Cubelet-Style, air-cooled, self-contained condenser, approximately 535 lbs ice production with 40 lb. built-in storage, counter model, push button operation, stainless steel bin & exterior, protected with H-GUARD Plus Antimicrobial Agent, R-404A refrigerant, 115v/60/1-ph, 12.0 amps, supplied without legs. DCM-500BAH \$4,169.95



Ice Maker Dispenser, Nugget Style

Ice Maker/Water Dispenser, Cubelet-Style, air-cooled, self-contained condenser, approximately 282 lbs ice production with 8.8 lb. built-in storage, counter model, push button operation, stainless steel bin & exterior, protected with H-GUARD Plus Antimicrobial Agent, R-404A refrigerant, 4" legs, 115v/60/1-ph, 8.5 amps. DCM-270BAH \$2.715.90



Ice Maker Dispenser, Nugget Style Ice Maker/Water Dispenser, Cubelet-Style, air-cooled, self-contained condenser, approximately 801 lbs ice production with 95 lb. built-in storage, counter model, push button operation, stainless steel bin & exterior, protected with H-GUARD Plus Antimicrobial Agent, R-404A refrigerant, 115v/60/1ph, 20.0 amps, supplied without legs. DCM-751BAH \$5,954.10



Ice Maker, Cube-Style Ice Maker, Cube-Style, air-cooled, self-contained condenser. approximately 1298-lb production/ 24 hours, stainless steel finish, crescent cube style, R-404A refrigerant, 208-230v/60/3-ph, 9.5 amps, ENERGY STAR®. KM-1301SAH3 \$3.760.45



Ice Bin for Ice Machines

Ice Bin, top-hinged front-opening door, approximately 260-lb ice storage capacity, for top-mounted ice maker, stainless steel exterior, painted flange legs included, protected with H-GUARD Plus Antimicrobial Agent. **B-300SF** \$643.45



Ice Make Cube Style Ice Maker, Cube-Style, air-cooled, self-contained condenser, approximately 1329-lb production/ 24 hours, stainless steel finish, crescent cube style, R-404A refrigerant, 208-230v/60/1-ph,12.4 amps, ENERGY STAR®. \$3,718.70

KM-1301SAH



Ice Maker with Bin, Flake-Style Ice Maker with Bin, Flake-Style, aircooled. self-contained condenser. maximum 330-lb production/24 hours, with 80 lbs. of ice storage capacity, stainless steel finish, "snow" style flaked ice, R-404A refrigerant, painted legs included, 115v/60/1-ph, 6.7 amps.

F-330BAH





Hand Mixer

Mini Power Mixer, up to 1.5 gallon (4 gt.) capacity, 12" shaft length, variable speed 2000 - 12,500 RPM, 120v/60/1-ph, 270 watts, ETL electrical and sanitation, cETL. **MMP 240 VV** \$310.73



Hand Mixer

Series B Commercial Power Mixer, hand held, 18" s/s shaft, removable s/s foot & blade, automatic single speed 12,000 RPM, 120v/60/1-ph, 6.0 amps, 720 watt, 1.1 HP, ETL electrical and sanitation, cETL. MP 450 TURBO \$595.70

Electric Food Processor

Combination Food Processor. 3 gt. clear polycarbonate bowl with handle, vegetable prep attachment with external ejection, "S" blade, 27577 5/64" (2mm) grating disc, 27566 5/32" (4mm) slicing disc

plus 27265 dicing kit 3/8" (10mm), on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 2 HP, 13 amps, NEMA 5-15P, ETL electrical and sanitation, cETL. **R2 CLR DICE** \$1,336.30

Electric Food Processor

Commercial Food Processor. continuous feed, inc. R209, R211, 10 x 10mm dice kit, on/ off & pulse switch, vegetable prep attachment with external ejection, 27577 5/64" (2mm) grating disc, 27566 5/32" (4mm) slicing disc plus



27265 dicing kit 3/8" (10mm), direct drive, 1725 RPM, 120v/60/1-ph, 2 HP, ETL electrical and sanitation, cETL. **R2C DICE** \$1,159.20





Bar Type Blender

XL Blender System, programmable speed, extra large capacity, 1.5 gal. (5.6 liter) container with lid, lid plug; 64 oz.(2 liter) container with lid, lid plug, and tamper, 4.2 peak HP, 120v/50/60/1-ph, 15 amps, UL, NSF certified. 5202

\$1.772.52

Going Green Smoothie

1 cup green grapes 1/2 cup pineapple chunks 2 cups fresh spinach, packed 1/2 ripe banana, peeled 1/2 cup water 1/2 cup ice cubes

Directions: Place all ingredients into

the Vitamix container in the order listed and secure lid. Select Variable 1, then slowly increase speed to Variable 10, then to High. Blend for 1 minute. Serve immediately.



Food Blender

(VM0101) Vita-Prep® Commercial Food Blender, variable speed, 64 oz. (2 liter) high-impact, clear container w/wet blade, black base, 54 page recipe and technique guide, 2 peak HP, 120v/50/60/1-ph, 11.5 amps, cUL listed. NSF certified. 1002 \$426.20

Bar Type Blender

(VM0100) Drink Machine, 64 oz. (2 liter) high-impact, clear container w/ ice blades, 2 speed, grey base, 2 peak HP, 120v/50/60/1-ph, 11.5 amps, UL, cUL listed, NSF certified. 748 \$378.93





Outperform every day.

Cooks Fork

Fork, Hooked Handle, stainless, 15" handle length, USA made, NSF. 60180 \$19.11



Serving Ladles

Ladle, solid, stainless with hooked handle, USA made. Various sizes:

8oz., 4" dia bowl, 12 5/8" hooked handle 4oz., 3 3/8" dia bowl, 12 5/8" hooked handle 2 oz., 2 3/8" dia bowl, 9 7/8" hooked handle 58480 8oz \$10.38 58440 4oz \$8.85 58620 2oz \$7.10



Stock Pot

Serving Spoon, Solid

Classic Stock Pot, 20 qt., with out cover, Standard Aluminum, Natural Finish, plated welded handles, 12" inside dia., 10 1/2" inside depth, 8 ga., USA made, NSF. 67520 \$43.96

Spoon, Hooked Handle, stainless, 21"

\$16.00



Steam Table Pan, Stainless

Super Pan V[™] Full Size 1/1 Food Pan, 2-1/2" deep, 22 gauge 300 series stainless steel, reinforced pour corners, reverse formed

flattened edges, anti-jamming design, NSF, USA made. 30022 \$18.68



Steam Table Pan, **Stainless**

Super Pan 3® Full Size Food Pan, 4" deep, 100mm, 22 gauge 300

series stainless steel, top flange corners with concave indentation, anti-jamming, ramped sides, reverse form flattened edge, framing shoulder, interchangeable with SP3 plastic pan line, NSF, meets gastronorm (EN 631-1) standard, USA. 90042 \$25.01



Steam Table Pan. **Stainless**

Super Pan V[™] Full Size 1/1 Food Pan, 4" deep, 22 gauge 300 series stainless steel, reinforced pour

corners, reverse formed flattened edges, anti-jamming design, NSF, USA made. 30042 \$25.01



Steam Table Pan, Stainless Super Pan V[™] Third Size Food Pan, 4" deep, 22 gauge 300 series stainless steel, reinforced pour corners, reverse formed flattened edges, anti-jamming design, NSF, USA made. 30342 \$15.45



Steam Table Pan, Stainless

Super Pan 3® Full Size Food Pan, 1.5" deep, 40mm, 22 gauge 300 series stainless steel

with black SteelCoatX3 coating, non-stick, top flange corners with concave indentation, ramped sides, reverse form flattened edge, framing shoulder, NSF, meets gastronorm (EN 631-1) standard, USA. 9001 \$12.94







West Coast 800-777-1418 • East/Midwest 800-666-1418

67521

Outperform every day.



pans, USA made, NSF. 77250 \$23.70

Steam Table Pan Cover, Stainless

Super Pan V™ Steam Table Pan Cover, Stainless, full size, REINFORCED FLAT SOLID, 20 7/8"x12 13/16"x1/2", fits all full-size



\$12.56

Cover, Aluminum

Flat Cover, Aluminum with Torogard[™] handle (handles are heat resistant to 180°F/82° C - are NOT oven proof), 12 5/8" dia., 14 ga., USA made, NSF.



Bun Pan

5315

Sheet Pan, 18" x 26" x 1" (45.1 x 65.4 x 2.54cm) deep, 12 gauge 3000 series aluminum, open bead, SteelCoat® finish, NSF, made in USA.

\$25.07



5303 \$7.26



Sheet Pan, 18" x 13" x 1" (45.1 x 32.7 x 2.54cm) deep, 18 gauge 3000 series aluminum, closed bead, natural finish, made in USA.



Steam Table Pan Cover, **Stainless**

Super Pan 3® Full Size Flat Solid Cover, 22 gauge 18-8 (EU 18-10) S/S, fits all full size Super Pan 3®

s/s pans, NSF, meets gastronorm (EN 631-1) standard, USA.

93100

\$23.70



Bus Box

Signature Heavy-Duty Bus Box, 1-compartment, 20"W x 15"D x 7"deep, temperature range: -30° to 183°F. highdensity polyethylene, gray, NSF. USA MADE. 52661 \$9.07



Mixing Bowl

Mixing Bowl, 5 gt., 18/8 Stainless, 11 3/4" dia., 4 1/2" depth. USA made. 69050 \$14.36



Steam Table Pan, **Stainless** Super Pan 3® Full Size

Food Pan, 2.5" deep,

65mm, 22 gauge 300 series stainless steel, top flange corners with concave indentation, ramped sides, reverse form flattened edge, framing shoulder, interchangeable with SP3 plastic pan line, NSF, meets gastronorm (EN 631-1) standard, USA. 90022 \$18.68

Mixing Bowl Mixing Bowl, 13 qt., 18/8 Stainless, 16" dia., 6" depth, USA made. 69130 \$26.32



Steam Table Pan Cover. **Stainless**

Deli Pan Cover, Stainless, Full Size, flat solid, fits all full size 16" pans, USA made, NSF. 77150 \$22.28





Electric Griddle, Counter Unit Heavy Duty Electric Griddle, 72" W x 24" D x 1/2" thick polished steel

griddle plate, bottom mounted snap action thermostat every 12", countertop, stainless steel front, sides, front top ledge with "Cool Bullnose", front grease trough, back & tapered side splashes, 13" cooking height on 4" adjustable legs, 32.4 kw, UL, NSF. WEG72E \$5,235.87



Gas Tilting Skillet Braising Pan

Braising Pan, Gas, 30-gallon capacity, 36" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, thermostatic control, includes L faucet bracket, electric ignition, 12" stainless steel legs with adjustable flanged feet, 90,000 BTU. **VG30** \$12,451.00

Electric Tilting Skillet Braising Pan


Braising Pan, electric, 40-gallon capacity, 46" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, water tight solid state controls, includes L faucet bracket, 12" stainless steel leas with adjustable flanged feet. 12 kw. **VE40** \$11.250.00

Electric Tilting Skillet Braising Pan

Braising Pan, electric, 30-gallon capacity, 36" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, pan holder, spring assist cover with drip edge, water tight solid state controls, includes L faucet bracket, 12" stainless steel legs with adjustable flanged feet, 9 kw.

VE30 \$10.211.00





thermostat every 12", stainless steel front, sides, front top ledge, front grease trough, heavy gauge 4" back & tapered side splashes, 4" adjustable legs, UL, NSF. RRE24D \$2,640.00



Electric Griddle, Counter Unit

Heavy Duty Electric Griddle, 48" W x 24" D x 1/2" thick polished steel

griddle plate, bottom mounted snap action thermostat every 12", countertop, stainless steel front, sides, front top ledge with "Cool Bullnose", front grease trough, back & tapered side splashes, 13" cooking height on 4" adjustable legs, 21.6 kw, UL, NSF. **WEG48** \$3,366.50



Mobile Heated Cabinet

Holding/Transport Cabinet, Institutional Series, Mobile, capacity (15) 18" x 26" x 1" or (30) 12" x 20" x 2-1/2" pans, includes (10) pair of adjustable tray slides 1-1/2" OC, forced air blower, side mounted push handles, recessed control panel, dial thermometer ambient to 195° F, 20 gauge stainless steel interior and exterior, 5" casters, ENERGY STAR® gualified. VBP15 \$3,785.89



Gas Griddle, Counter Unit Heavy Duty Gas Griddle, 108,000 BTU, 48" W x 24" D x 1" thick polished

steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, manual ignition, countertop, low profile, stainless steel front, sides, front top ledge with "Cool Bullnose, front grease trough, grease can, heavy gage 4" back & tapered side splashes, 4" adjustable legs, CSA, NSF. **MSA48**

\$4,486.85



Gas Griddle, Counter Unit Heavy Duty Gas Griddle, 162,000 BTU, 72" W x 24" D x 1" thick polished

steel griddle plate, embedded mechanical snap action thermostat every 12", millivolt pilot safety, manual ignition, countertop, low profile, stainless steel front, sides, front top ledge with "Cool Bullnose", front grease trough, grease can, heavy gage 4" back & tapered side splashes, 4" adjustable legs, CSA, NSF. MSA72 \$5,991.68



West Coast 800-777-1418 • East/Midwest 800-666-1418

Sani Safe® Cutlery

The widest line of sanitary, NSF Certified, professional cutlery in the world. Quality, stain-free, high-carbon steel blades with super sharp edges are hand-ground and honed. High-impact "Grip-Tex" handles are made of textured and formed polypropylene for slip-resistant grip, safety and tough use. An impervious seal of blade and handle provides the utmost sanitary qualifications and prevents the blade from pulling out. Handles will withstand high and low temperatures and are easily cleaned. They have the same weight and balance as wood handle knives. NSF.

Α.	S205PCP	8" Cook's Fork	\$13.87
В.	S145-10PCP	10" Cook's Knife, White	\$22.70
С.	S145-10SC-PCP	10" Scalloped Cook's Knife	\$21.19
D.	S133-8PCP	8" Flexible Fillet Knife	\$14.44
Е.	S112-10PCP	10" Butcher Knife	\$20.89
F.	S158SC-PCP	8" Scallped Utility Slicer	\$11.58
G.	P177A-PCP*	4" Pizza Cutter, White	\$14.90



Summer Specials 2013 www.gillmarketing.com



Terry Oven Mitts

Oven Mitt, temperature range: up to 500° (260° C) for 30 seconds, with steam barrier, heavy duty institutional grade terry cloth, machine washable, natural.

Standard	Terry Mitt	
817TM	17"	\$9.34/pair
813TM	13"	\$8.56/pair



Silicone Oven/Freezer Mitts

Oven/Freezer Mitt. temperature range: up to 400° F (204° C) or down to 0° F (-18° C) for 15 seconds, nonstick Silicone coated, rinses clean, silver.

801SG17 801SG15

17"	\$5.38/pair
15"	\$4.62/pair



Neoflex[™] Bib Apron

Bib Apron, 36" x 43", Heat resistant, fireretardant, cut-resistant and repels liquid and grease. Adjustable neck strap. 615NBA-Y Yellow \$16.12 615NBA-BK Black \$16.12



Bib Apron

Front-of-the-House Bib Apron, 27" x 25", 3-compartment front pocket, blended twill fabric, black. 602BAFH-BK

\$9.00