



# ORIFLAMME®

FIRE TABLES



**DESIGNING**Fire™  
MANUFACTURER OF THE ORIFLAMME TABLE

[www.designingfire.com](http://www.designingfire.com)



Certificate No. 253915-2528907

CRAFTED IN THE





ORIFLAMME







# ORIFLAMME®

## FIRE TABLES

### Discover the Original Designed Fire

Crafted with quality and care in the USA, the Oriflamme Fire Table is the premier gas fire table in the marketplace with its height, uniquely designed burners, customization and functionality.

Each Oriflamme Fire Table is designed by the customer who chooses a table top, burner design and fire glass to match their personal style and décor. The finished product becomes a beautiful centerpiece for any outdoor space.

### Explore Our Collection

Browse through our catalog to see the latest in product development from Designing Fire, Inc. We continue to expand our product line to include distinctive table top shapes, burner designs and a variety of fire glass colors all hand-crafted in the USA.

Enjoy the ambiance, warmth and fascination of fire with your own Oriflamme Fire Table!

#### **Designing Fire, Inc.**

(800) 445-4559 | [www.designingfire.com](http://www.designingfire.com)

Fax: (651) 305-6347 | [info@designingfire.com](mailto:info@designingfire.com)

Manufacturing: Pierre, SD



45" Octagon Giallo Fiorito

## THE ORIGINAL DESIGNED FIRE

Created by an artisan who sought to capture and share the “essence” of fire, the unique and innovative Oriflamme Fire Table offers the original designed fire. The Oriflamme Fire Table will be a centerpiece for conversation or contemplation and enhance your outdoor environment and experience.

### ALL TABLES INCLUDE:

- Table Top
- Burner
- Fire Glass
- 20# Propane Tank
- Protective Lid
- Burner Puller

### ALSO:

- Heat source up to 65,000 BTU's
- Burn time lasts on average of 18-22 hours. Continuous burn times last 10-22 hours depending on outside temperature and flame height
- Adjustable flame height for warmth or ambiance
- Natural gas component kit available
- Portable
- Easy assembly (no tools required)
- All table components are interchangeable
- Hoses available for larger remote propane tanks



Certificate No. 253915-2528907



# ORIFLAMME FIRE TABLE COLLECTION

**Canyon Stone** *Glass fiber reinforced concrete*

Sizes: 38" RD 42" RD 35"x35" SQ



Pictured: 42" RD Canyon Stone

**Sandstone** *Glass fiber reinforced concrete*

Sizes: 38" RD 42" RD 35"x35" SQ



Pictured: 42" RD Sandstone



**Mosaic Stone - Sahara** *Travertine stone*

Sizes: 42" RD 48" RD 40"x40" SQ 45" OCT



Pictured: 48" RD Sahara

**Mosaic Stone - Santa Fe** *Natural stone slate*

Sizes: 42" RD 48" RD 40"x40" SQ 45" OCT



Pictured: 42" RD Santa Fe



## Marble Stone - Venetian

*With distinctive colors, veining and graining*

Sizes: 42" RD 48" RD 40"x40" SQ 45" OCT



Pictured: 45" OCT Venetian

## Hammered Copper


*Shaped and hammered copper with a dark acid-etched finish applied*



42" Round / Hammered Copper




48" Round / Hammered Copper



40"x40" Square / Hammered Copper




## Tropical Brown Granite




42" Round / Tropical Brown Granite



48" Round / Tropical Brown Granite



45" Octagon / Tropical Brown Granite



40" x 40" Square / Tropical Brown Granite


## Giallo Fiorito Granite



42" Round / Giallo Fiorito Granite



48" Round / Giallo Fiorito Granite



45" Octagon / Giallo Fiorito Granite



40" x 40" Square / Giallo Fiorito Granite




## Giallo Santo Granite




42" Round / Giallo Santo Granite



48" Round / Giallo Santo Granite



45" Octagon / Giallo Santo Granite



40" x 40" Square / Giallo Santo Granite


## Absolute Black Granite



42" Round / Absolute Black Granite



48" Round / Absolute Black Granite



45" Octagon / Absolute Black Granite




40" x 40" Square / Absolute Black Granite



## Tuscan Stone


*Natural stone finish made of Quartz aggregate, mined in the USA*



38" Round / Tuscan



42" Round / Tuscan



35" x 35" Square / Tuscan



42" Round Tropical Brown



Powder Coating




Copper Vein




Black

Burner Designs


Letters indicate the number of glass choices available for each design




Elegance




Sun




Fleur de Lis




Maple Leaf




Martini




Flower



Star



Yin Yang



Maltese

Fire Glass Colors



Reflective Copper



Reflective Azuria



Reflective Pacific Blue



Reflective Evergreen




Reflective Gold



Reflective Platinum



Reflective Bronze



Reflective Black



Reflective Gray



Red




Orange



Red/Orange



Burgundy



Yellow




Dark Green



Teal




Turquoise




Cobalt Blue




Dark Blue



Purple



Champagne



Starfire



Half Inch Starfire



## Accessories



Walnut Brown



Black

Sizes available: 35" SQ 38" RD 42" RD 48" RD 40" SQ 45" OCT

**All Weather Cover**



Available in Copper Vein or Black

**Ice Bucket Insert**



**Additional Burner**



**Extra Glass**



**Protective Lid (included)**



**Natural Gas Conversion**



**20# Propane Tank (included)**



For remote propane tanks

**Additional Hose**





Elegance Burner




Sun Burner



Fleur de Lis Burner




Maple Leaf Burner



Star Burner



Flower Burner



Martini Burner



Yin Yang Burner



# ELEGANCE

48" Round Absolute Black



42" Round Tropical Brown





42" Round Santa Fe



45" Octagon Venetian



# AMBIANCE



48" Round Mosaic Sahara



42" Round Giallo Santo





40" x 40" Tropical Brown Granite with Sun Burner



48" Round Mosaic Sahara



# UNIQUE



42" Round Canyon Stone



48" Round Absolute Black with Ice Bucket Insert





42" Round Giallo Fiorito



48" Round Hammered Copper



# ASSEMBLY INSTRUCTIONS

PLEASE REFER TO THE DETAILED INSTRUCTIONAL VIDEO AVAILABLE ON OUR WEBSITE:

[www.designingfire.com/assembly](http://www.designingfire.com/assembly)

## TUSCAN TABLE TOP

1. Remove the base from the box.
2. Place a blanket on the ground to protect the surface of the table top.
3. Lay the Tuscan table top face down on the blanket.
4. Take the base and turn it upside down. Line the base up with the 4 pegs and insert the table top into the pegs.  
(Plastic shavings from the pegs will flake off when frame is inserted into pegs for a tight fit.)
5. Take the table top in one hand and the base in the other and turn it over into an upright position.

## ALL OTHER TABLE TOPS

1. Remove the base from the box and the table top from the packaging
2. Place the four plastic plugs into the four corners at the top of the base.
3. With the help of another person, set the table top on the base so it rests on the four plugs.

The propane tank must be filled before continuing assembly. *See User Guide on page 21.*

## TABLE ASSEMBLY

1. At a horizontal 45° angle, take the propane tank and set the front bracket into the front pin of the frame. Rotate the propane tank 45° and slide the back bracket of the propane tank into the frame sleeve.
2. Make sure your propane tank is lined up with the control valve.
3. Take the regulator and hook it up to the propane tank, making sure the hose forms a U-shape and the connection is fastened tightly.
4. Take out your burner and notice the venturi tube underneath the burner. Place the burner into the opening of the table and line up the venturi tube with the control valve.
5. Reach your hand through the opening under the control valve and pull the venturi tube over the end cap of the control valve.  
The tube fits loosely on the end cap for safety and oxygen flow.
6. Open the bags of glass. For design burners, pour the glass into the center for Section A until that is full. Continue to pour glass in Sections B & C until design pattern is complete.
7. To ignite your Oriflamme Fire Table reach underneath and turn the propane tank valve ON. Push the control knob in and turn it to the left to the ON position. Propane will begin flowing into the burner.
8. Take your light stick and light it on top. NEVER light your table from underneath.

Congratulations! Your Oriflamme Fire Table is now assembled and ready for use.

Replacement parts including: Propane Tank, Control Valve, Regulator and Burner are available at your local Oriflamme Fire Table dealer, or contact the manufacturer directly at [www.designingfire.com](http://www.designingfire.com).

## ADDITIONAL INSTRUCTIONS

To access your propane tank and place additional accessories into you Oriflamme Fire Table you must remove the burner by using the burner puller.

1. First slide your Venturi tube off the end cap. Find the first burner clip which is located above the control valve.
2. Once you have fastened all three burner clips lift the burner off the table top.
3. Place the ice bucket into the Oriflamme Fire Table, pour your ice into the ice bucket to keep your beverages cool.
4. When your Oriflamme Fire Table is not in use, cover the burner and glass with the included protective lid to keep out debris, children, and pets.



# USER GUIDE

PROBLEM	POSSIBLE CAUSE	SOLUTION	NOTES
<b>Propane tank does not fill</b>	Propane tank was not purged properly	Take it to an authorized propane station and re-purge the propane tank	The purging process requires that all air is removed from the propane tank prior to the first fill
	The OPD float valve on the propane tank has been activated, closing the valve and not allowing the tank to fill.	Without the burner, attach the regulator to the propane tank, turn the control valve on for a few seconds to reset the OPD float valve	The OPD float valve is a safety device which is activated when the propane tank has been filled too quickly
<b>Smelling propane</b>	Set screw on the side of the propane tank valve assembly is not tight	Use a flat blade screwdriver to tighten the set screw	
	Control valve is not completely shut off	To shut it off, push in the control knob and completely turn it to the right	The far left position on the control valve is in the lowest setting, not in the OFF position
	Venturi tube is obstructed	Take out the straight portion of the venturi tube and remove the obstruction	
	Venturi tube is not correctly positioned on the control valve	Slide the venturi tube completely over the control valve assembly. The vents should be in the EAST / WEST position.	The vents are on the end of the straight tube.
<b>Flame problems: NO flame Intermittent flame Low flame</b>	The tank was not purged properly, it contains a mixture of air and propane. The result is intermittent flame, or flame extinguishes in a short period of time.	Burn off remaining propane and re-purge the tank	The purging process requires that ALL air is removed from the propane tank prior to the first fill to ensure maximum efficiency.
	In cooler temperatures, the liquid propane does not convert quickly enough to a gas therefore causing it to "freeze" the outside of the propane tank	Turn down the flame slightly to where the control valve is not wide open	
	The regulator was not properly attached to the propane tank	Disconnect the regulator and re-connect it properly to the propane tank	
	Venturi tube is obstructed	Take out the straight portion of the venturi tube and remove the obstruction	
	Flame setting too low	Turn control knob to the right for a higher flame setting	

## CHECKING FOR POSSIBLE LEAKS

1. Remove the table top burner from the base.
2. Make sure the regulator is hooked up to the propane tank with the control valve turned OFF.
3. Turn the propane tank ON. Wait a few seconds and smell for possible leaks where the regulator hose is attached to the control valve or where the regulator is attached to the propane tank.
4. Use soapy water and apply to these areas to verify the leak source.



Certificate No. 253915-2528907





## TABLE TOP MAINTENANCE

### GRANITE TABLE MAINTENANCE

Granite is a dense, coarse-grained stone and one of the hardest materials on earth. Its luster, hardness, colors and variations are all indications of the stone's mineral composition and origin. Most have pits or fissures that are inherent to the stone and are part of its rich natural texture and beauty.

#### GENERAL FACTS ABOUT GRANITE:

- The granite table top can only be scratched by another piece of granite or by a diamond when properly sealed and maintained.
- The granite table top is completely heat resistant and can withstand temperatures upwards of 1800 degrees Fahrenheit.
- To prevent staining and scratches, use a granite sealer as per the MFG recommendations. Be sure to wipe up spills immediately. When the granite is wet, it may appear darker.
- The pits and fissures are random pronounced markings common to some stones and cannot be removed during fabrication.

#### MAINTAINING THE GRANITE:

- Use a mild soap and water or a professional natural stone cleaner for daily use.
- Do not use abrasive cleaners.
- To ensure the beauty of your granite table top, it should be sealed twice a year.





## TUSCAN STONE MAINTENANCE

The Tuscan stone top achieves the appearance of real stone with the use of Century Stone natural iron oxides and quartz concrete overlay.

Each table is hand stained using iron oxides. These oxides are water based colorants, not solid colors like paints. The oxides mixed with water and applied by hand give the table a “natural” look.

Colors will vary from table to table because the stain is translucent and texture varies because each table is hand troweled. Please be aware that the “tone” of the color will be the same, but the exact shade may vary. Different texture surfaces may also affect table colors. We cannot guarantee a match to any existing table or sample. Our goal is to “complement or blend” the chosen color or sample and assure you the best quality table.

- Do not place anything with a “rubber compound” on the table. This can permanently mark the surface.
- Place a tray under all potted plants. Oxides and minerals in pots and soil can discolor the table top.
- To ensure complete protection for your Tuscan table top, we recommend the full cover available for purchase.

### MAINTAINING THE TUSCAN STONE:

- Wipe down table top regularly with a damp cloth.
- Wipe up spills immediately.
- Use “Simple Green®” or a natural citrus cleaner and sponge for difficult areas.
- Use “Dawn®” dishwashing liquid and water for grease or oil spots.
- Use “Mr. Clean Magic Eraser®” for small, hard to clean areas.



## MARBLE STONE “VENETIAN”

### GENERAL FACTS ABOUT MARBLE STONE:

- Marble is a natural stone formed over millions of years
- The crystalline properties of the minerals give the marble its distinctive colors, veining and graining.
- The surface has been filled, polished and sealed creating a uniform, general non-porous surface.
- Veining, hairline cracks and color variations are part of the intrinsic beauty of marble

### MAINTAINING THE MARBLE STONE:

- Protect marble surface from scratching, staining and etching.
- Keep surface free of debris and sharp objects
- Wipe up spills immediately
- Avoid contact with chemicals (particularly acid based materials)
- Clean with pH neutral products
- After a period of use, apply a penetrating sealer to prevent contaminants from being absorbed into the stone.
- Renew the surface on polished marble by buffing with special stone polish.
- Do not use marble polish on matte finish marble.





## MOSAIC STONE "SANTA FE"

### GENERAL FACTS ABOUT NATURAL SLATE:

- Slate is a natural stone and no two pieces are ever alike
- Consists of thin layers of stone and as the layers of slate are separated, unique patterns and colors emerge
- Natural unevenness and variation in authentic slate which adds to its diversity
- Highly resistant to abrasion and cracking
- No rusting because of its high purity
- Density of slate makes it ideal for outdoors
- Harder than marble



### MAINTAINING THE NATURAL SLATE:

- Resistant to stains, will not fade or discolor in sunlight.
- Slate top is sealed with a stone sealer and this sealer should be re-applied each year.
- Can be cleaned with water or mild soapy water.
- Do not use vinegar, abrasive cleaners, furniture polish or cleaners that contain acid.
- Should be stored in a dry location during the off season and not resting on its side

## MOSAIC STONE "SAHARA"

### GENERAL FACTS ABOUT TRAVERTINE:

- Travertine is a unique natural stone that is rich with historical significance and has been quarried for over two thousand years and is a product of the earth's water and carbon cycles.
- It is formed by minerals dissolving in ground water and then being deposited on the earth's surface by rivers, natural springs, or geysers.
- The two minerals that make up 99% of travertine are calcite and gypsum which are colorless.
- Beautiful tones come from traces of yellow sulfur, brown iron compounds, and organic pigments.
- The texture of travertine is partly the result of gas bubbles trapped between layers of stone.
- Each piece has its own distinct character, adding beauty and unique style to any décor.



### MAINTAINING THE TRAVERTINE:

- NEVER rest or stand this stone on its side!
- Since this stone is sealed, it requires only regular wiping with water or occasionally with mild soapy water.
- Do not use vinegar, cleaners that contain acid, abrasive cleaners, or furniture polish.
- Do not high-pressure wash this stone top.
- If a stain does occur, it can be easily removed with fine (0) steel wool or finer grit sand paper. If this step is required at any point the surface area affected needs to be treated with a stone sealer for further protection.
- Use a stone sealer once per year.
- For long-term maintenance, store the top in a dry location during the off season and DO NOT rest it on its side.



## HAMMERED COPPER

### GENERAL FACTS ABOUT HAMMERED COPPER:

- Copper is mined and extruded into copper sheets
- Sheets are shaped and hammered with a dark acid-etched finish applied
- Tops can be formed onto outdoor substrates
- 18 gauge copper is used
- Special finish is applied to maintain patina

### MAINTAINING THE HAMMERED COPPER:

- Top requires regular wiping with water or mild soapy water with soft cloth
- Vinegar, cleaners that contain acid abrasive cleaners or furniture polish should NOT be used




## CANYON STONE AND SANDSTONE

### GENERAL FACTS ABOUT GFRC

- GFRC is glass fiber reinforced concrete
- Uses special glass fibers rather than steel for reinforcement
- Super hybrid with special additives
- Lightweight--up to 75% lighter than pure concrete or stone
- Strong--does not crack easily with higher tensile strength than steel
- Eco friendly--uses natural raw materials with much lower environmental impact
- Does not give off toxins or pollutants when produced

### MAINTAINING THE GFRC:

- Table tops are sealed
- Periodic applications of low or flat sheen wax will protect surface
- Use household wax, Pledge or clear coat car wax
- Clean top with soapy water and dry thoroughly before applying wax



Certificate No. 253915-2528907



# WARRANTY

## TABLE TOP

Designing Fire, Inc. offers a (2) year, (1) year COMMERCIAL warranty on table tops valid only with proper maintenance from date of delivery. This limited warranty covers craftsmanship and structural components of the table top. Designing Fire, Inc., at manufacturer's option, will repair or replace any table top found to be defective during this warranty period. Warranty is void if any of the following occurs: 1) Incorrect installation by retailer or customer 2) damage caused by accidents, 3) misuse, 4) alterations made by anyone other than Designing Fire Inc. manufacturers.

Note: This warranty does not apply to the use of another manufacturer's table top, nor does it apply to the incorrect installation of the table top onto the base, by the retail store or customer. This warranty does not apply to any damage caused by shipping, accidents, fading, staining, natural weathering, misuse, alterations or repairs.

## COMPONENTS

Designing Fire, Inc. offers a (3) year, (1) year COMMERCIAL, functional warranty only with proper maintenance from date of delivery for all working components of the table such as the burner, propane tank, control valve and regulator. Designing Fire, Inc. will, at manufacturer's option, repair or replace any Designing Fire, Inc. component that has failed functionally during normal use and proper maintenance.

## FRAME

Designing Fire, Inc. offers a LIFETIME, (5) year COMMERCIAL, structural warranty only with proper maintenance from date of delivery. Designing Fire Inc. will, at manufacturer's option, repair or replace any Designing Fire, Inc. frame that has failed structurally during normal use and proper maintenance.

## FINISH

Powder Coat: Designing Fire, Inc. offers a (7) year, (1) year COMMERCIAL, warranty against blistering or peeling of the frame finish under normal use and proper maintenance. Designing Fire, Inc., at manufacturer's option, will refinish or replace your powder coated materials if either of the above occurs within a (7) year period from the date of purchase. Occasional rust seepage from crevices and hidden unfinished surfaces inherent in some ornate designs is considered not a finish failure. Extra care and maintenance is required in coastal areas.

## NOT COVERED UNDER WARRANTY

- This warranty does not apply to any damage caused by shipping, accidents, fading, staining natural weathering, misuse, alterations or repairs. No other person is authorized to assume liability on behalf of Designing Fire, Inc., and in no event shall Designing Fire, Inc. be liable for contributory or subsequent damage related to merchandise purchased from Designing Fire, Inc.
- Any failure caused by unreasonable use or abuse
- Rust seepage or bleeding from cracks or crevices
- Rust and/or oxidation of frame resulting from exposed metals that have been scratched, chipped or not properly maintained by the guidelines listed in the care instructions
- Normal fading of the Oriflamme Fire Table
- Customer's own material choices
- Accidental damage or element damage such as fire, wind, rain, or sun
- Permanent stains caused by lotions, oils, or other substances
- Discoloring of the fire glass due to unreasonable use
- Furniture used for commercial or institutional use

## MAINTENANCE INSTRUCTIONS



- Oriflamme Fire Table should be inspected before initial use, and regularly inspected and cleaned.
- Oriflamme Fire Table should be kept clean and free of dirt build up. Clean with mild soap and water. Wipe spills quickly to avoid surface staining, scrubbing with soft sponge or rag. See complete details for table top maintenance in table top care instructions page.
- Never leave table standing in water.
- Cover or store your table when not in use for extended periods of time.
- Tampering is dangerous and will void all warranties. Any component that is found to be faulty must be replaced with an approved component.
- Examine the burner and venturi tube to make sure that there is no lint or dirt in these areas.

## TABLE RETURN GUIDELINES

**PRIOR AUTHORIZATION from the manufacturing or manufacturers' representative is required.** You must be the original purchaser and be able to provide proof of purchase when you make a claim. To submit a warranty claim, contact our warranty department at (800) 445-4559, via fax, (651) 305-6347 and/or via email at [admin@designingfire.com](mailto:admin@designingfire.com); or you may contact your local dealer.

If the complaint is covered by warranty, Designing Fire, Inc. will arrange for freight pick-up and pay the surface freight to and from manufacturing. The consumer is responsible for freight charges to and from the manufacturing if beyond the timeframe stated above. Return of the Oriflamme Fire Table must be packaged for freight pick up. Oriflamme Fire Tables must have been used only for residential use as defined in the original purchase order.



 <b>WARNING</b>	<b>CARBON MONOXIDE HAZARD</b> <p>This appliance can produce carbon monoxide which has no odor.</p> <p>Using it in an enclosed space can kill you.</p> <p>Never use this appliance in an enclosed space such as a camper, tent, car or home.</p>
	



## WARNING

FAILURE TO FOLLOW THESE INSTRUCTIONS MAY RESULT IN AN EXPLOSION OR FIRE THAT MAY CAUSE PROPERTY DAMAGE, SERIOUS INJURY OR DEATH.

- Children and adults should be alerted to the hazards of high surface temperature and should stay away to avoid burns or clothing ignition.
- Young children should be carefully supervised when they are in the area of the Oriflamme Fire Table.
- Clothing or other flammable materials should not be hung from the appliance, or placed on or near the Oriflamme Fire Table.
- Any guard or other protective device removed for servicing the appliance must be replaced prior to operating the Oriflamme Fire Table.
- Installation and repair should be done by a qualified service person. The Oriflamme Fire Table should be inspected before use and at least annually by a qualified service person. More frequent cleaning may be required as necessary. It is imperative that the control compartment, burners and circulating air passageways of the Oriflamme Fire Table be kept clean.



### WARNING

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. Read the installation, operating and instructions thoroughly before installing or servicing this equipment.



### DANGER

If you smell gas:

1. Shut off the gas to the appliance.
2. Extinguish any open flame.
3. If odor continues, keep away from the appliance and immediately call your gas supplier or fire department.



### WARNING

Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.

An LP-cylinder not connected for use shall not be stored in the vicinity of this or any other appliance.



### WARNING FOR OUTDOOR USE ONLY.



Certificate No. 253915-2528907





1-800-445-4559    [www.designingfire.com](http://www.designingfire.com)