



## Sleeveless Pullover in 8ply & 10ply

Garments Photographed in:

Adult in 10ply: **Harmony**™ #801

Child in 8ply: **Naturelle**™ #252

**SIZES** : 66 (71, 76-81, 86-91, 96-102, 107-112, 117-122)cm/26 (28, 30-32, 34-36, 38-40, 42-44, 46-48)"

### KNITTED MEASUREMENTS

**Bust/Chest**: 66 (71, 81, 91, 102, 112, 122)cm/26(28, 32, 34, 40, 44, 48)"

**Length of Back** : 39 (44, 61, 66, 68, 69, 71)cm/15 ¼ (17 ¼, 24, 26, 26 ¾, 27 ¼, 28)"

### MATERIALS

• 3 (4, 5, 6, 7, 8, 9) hanks Naturally **Harmony DK/8ply** 100% Pure NZ Merino (1.75oz/50g; 136yds/125m)  
or  
2 (2, 4, 4, 5, 5, 6) balls Naturally **Naturelle DK/8ply** 100% Pure NZ Wool (3.5oz/100g; 210yds/192m)  
or  
2 (2, 4, 4, 5, 5, 6) balls Naturally **Tussock DK/8ply** 85% Pure NZ Wool / 15% Polyester Effect Yarn (3.5oz/100g; 202yds/185m)

• 4 (4, 5, 6, 7, 8, 9) hanks Naturally **Harmony 10ply** 100% Pure NZ Merino (3.5oz/100g; 116yds/106m)  
or  
2 (3, 4, 5, 5, 6, 6) balls Naturally **Naturelle 10ply** 100% Pure NZ Wool (3.5oz/100g; 186yds/170m)  
or  
2 (3, 4, 5, 5, 6, 6) balls Naturally **Tussock 10ply** 85% Pure NZ Wool / 15% Polyester Effect Yarn (100gr/3.5oz; 175yds/160m)

### • Needle sizes:

**8ply**: 3.25mm (US 4) & 3.75mm (US 5) straight needles

**10ply**: 4mm (US 6) & 4.5mm (US 7) straight needles

• Cable needles

• Stitch holders

• Stitch markers

### ABBREVIATIONS

Beg - beginning; cm - centimetres; cn - cable needle; cont - continue; dec - decrease; inc - increase; inc - increase; ins - inches; k - knit; meas - measures; NR - next row; patt - pattern; rem - remaining; rep - repeat; RSF - right side facing; st(s) - stitch(es); Stst - Stocking stitch (K on RS rows/P on WS rows); tog - together; WS - wrong side.

### TENSION

**8ply**: 22 sts and 30 rows over Stst - 10cm (4ins) on 3.75mm (US 5) needles.

**10ply**: 20 sts and 26 rows over Stst - 10cm (4ins) on 4.5mm (US 7) needles.

### CHECK YOUR TENSION CAREFULLY

**C3B** = slip next st onto cable needle (cn) and hold at back of work, k2, k1 from cn.

**C3F** = slip next 2 sts onto cable needle (cn) and hold at front of work, k1, k2 from cn.

**T3B** = slip next st onto cable needle (cn) and hold at back of work, k2, p1 from cn.

**T3F** = slip next 2 sts onto cable needle (cn) and hold at front of work,

p1, k2 from cn.

### Sizes 66-71cm only

#### **Right Slanting Cable over 8 sts**

Row 1 (RS) - K2, p3, C3B.

Row 2 - P3, k3, p2.

Row 3 - K2, p2, C3B, k1.

Row 4 - P4, k2, p2.

Row 5 - K2, p1, T3B, k2.

Row 6 - P2, [k1, p2] twice.

Row 7 - K2, T3B, p1, k2.

Row 8 - P2, k2, p4.

Row 9 - K1, T3B, p2, k2.

Row 10 - P2, k3, p3.

Row 11 - T3B, p3, k2.

Row 12 - P2, k4, p2.

Rep these 12 rows throughout.

### Sizes 66-71cm only

#### **Left Slanting Cable over 8 sts**

Row 1 (RS) - C3F, p3, k2.

Row 2 - P2, k3, p3.

Row 3 - K1, C3F, p2, k2.

Row 4 - P2, k2, p4.

Row 5 - K2, T3F, p1, k2.

Row 6 - P2, [k1, p2] twice.

Row 7 - K2, p1 T3F, k2.

Row 8 - P4, k2, p2.

Row 9 - K2, p2, T3F, k1.

Row 10 - P3, k3, p2.

Row 11 - K2, p3, T3F.

Row 12 - P2, k4, p2.

Rep these 12 rows throughout.

### Sizes 76-122cm only

#### **Right Slanting Cable over 10 sts**

Row 1 (RS) - K2, p5, C3B.

Row 2 - P3, k5, p2.

Row 3 - K2, p4, C3B, k1.

Row 4 - P4, k4, p2.

Row 5 - K2, p3, T3B, k2.

Row 6 - P2, k1, p2, k3, p2.

Row 7 - K2, p2 T3B, p1, k2.

Row 8 - P2, [k2, p2] twice.

Row 9 - K2, p1, T3B, p2, k2.

Row 10 - P2, k3, p2, k1, p2.

Row 11 - K2, T3B, p3, k2.

Row 12 - P2, k4, p4.

Row 13 - K1, T3B, p4, k2.

Row 14 - P2, k5, p3.

Row 15 - T3B, p5, k2.

Row 16 - P2, k6, p2.

Rep these 16 rows throughout.

## **Sizes 76-122cm only**

### **Left Slanting Cable over 10 sts**

Row 1 (RS) – C3F, p5, k2.

Row 2 – P2, k5, p3.

Row 3 – K1, C3F, p4, k2.

Row 4 – P2, k4, p4.

Row 5 – K2, T3F, p3, k2.

Row 6 – P2, k3, p2, k1, p2.

Row 7 – K2, p1 T3F, p2, k2.

Row 8 – P2, [k2, p2] twice.

Row 9 – K2, p2, T3F, p1, k2.

Row 10 – P2, k1, p2, k3, p2.

Row 11 – K2, p3, T3F, k2.

Row 12 – P4, k4, p2.

Row 13 – K2, p4, T3F, k1.

Row 14 – P3, k5, p2.

Row 15 – K2, p5, T3F.

Row 16 – P2, k6, p2.

Rep these 16 rows throughout.

## **8ply**

### **BACK**

With 3.25mm (US 4) needles, cast on 73 (79, 89, 99, 113, 123, 135) sts.

K1, p1 rib for 12 (12, 14, 14, 16, 16, 16) rows.

Change to 3.75 (US 5) needles.

Stst until piece meas 25 (29, 43, 46, 47, 48, 49) cm from beg, end with a WS row.

### **Shape Armholes**

Cast off 4 (4, 5, 5, 6, 6, 7) sts beg next 2 rows.

Dec 1 st each end next 3 (3, 4, 4, 5, 5, 6) rows.

Dec 1 st each end every RS row 4 times—51(57,63,73,83,93,101)sts. Cont straight until piece meas 37 (42, 59, 64, 66, 67, 69) cm from beg, end with a WS row.

### **Shape Neck & Shoulder**

NR (RS) – K19 (21, 23, 27, 32, 36, 40) sts, turn, on these sts only.

Cast off 3 (3, 4, 4, 4, 4, 4) sts beg next 2 WS rows.

NR (RS) – Cast off 7 (8, 8, 10, 12, 14, 16) sts, k to end.

P 1 row.

Cast off rem 6 (7, 7, 9, 12, 14, 16) sts.

Return to sts on hold, slip next 13 (15, 17, 19, 19, 21, 21) sts to holder for centre back neck, rejoin yarn, work 2nd half to match, reversing shapings.

### **FRONT**

With 3.25mm (US 4) needles, cast on 77 (83, 93, 103, 117, 127, 139) sts.

Row 1 (RS) – K1 (0, 1, 0, 1, 0, 0), [p1, k1] 13 (15, 16, 19, 22, 25, 28) times; place marker, p2, [k2, p1 (1, 2, 2, 2, 2, 2)] twice, k2, p1, k1, p1, [k2, p1 (1, 2, 2, 2, 2, 2)] twice, k2, p2, place marker; [k1, p1] 13 (15, 16, 19, 22, 25, 28) times; k1 (0, 1, 0, 1, 0, 0).

Row 2 – K the knit sts and p the purl sts (= work sts as they appear).

Rep last 2 rows 5 (5, 6, 6, 7, 7, 7) times more.

Change to 3.75mm (US 5) needles.

### **Beg Centre Cables**

Row 1 (RS) – K27 (30, 33, 38, 45, 50, 56), p2; k2, p3 (3, 5, 5, 5, 5, 5), C3B; p3; C3F, p3 (3, 5, 5, 5, 5, 5), k2; p2, k27 (30, 33, 38, 45, 50, 56).

Row 2 – P27 (30, 33, 38, 45, 50, 56), k2; p2, k3 (3, 5, 5, 5, 5, 5), p3; k3; p3, k3 (3, 5, 5, 5, 5, 5), p2; k2, p27 (30, 33, 38, 45, 50, 56).

Cont in this manner, over centre 23 (23, 27, 27, 27, 27, 27) sts on RS rows work p2, then right slanting cable, p3, then left slanting cable, p2 and on WS rows work k2, then left slanting cable, k3, then right slanting cable, k2.

Patt until front meas 25 (29, 43, 46, 47, 48, 49) cm from beg, end with a WS row.

### **Shape Armholes**

Cast off 4 (4, 5, 5, 6, 6, 7) sts beg next 2 rows.

Dec 1 st each end next 0 (0, 2, 2, 2, 2, 2) rows.

### **Shape V-Neck**

NR (RS) – Dec 1 st at beg of row, k to 2 sts before first p2, k2tog, p2, cable 8 (8, 10, 10, 10, 10, 10) sts, p1, slip next st to stitch holder (centre V-neck), join 2<sup>nd</sup> ball of yarn, p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, skp, k to end and dec 1 st at end of row.

Working both fronts at same time, patt 1 row and dec 1 st each end of row for armholes.

NR – Left front: Dec 1 st at beg of row, k to 4 sts before first p2, [k2tog] twice, p2, cable 8 (8, 10,

10, 10, 10, 10) sts, p1; Right front: p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, [skp] twice, k to end and dec 1 st at end of row.

Patt 1 row and dec 0 (0, 0, 0, 0, 0, 1) st each end for armholes.

NR – Left Front: Dec 1 st at beg of row, k to 2 sts before first p2, k2tog, p2, cable 8 (8, 10, 10, 10, 10, 10) sts, p1; Right Front: p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, skp, k to end and dec 1 st at end of row.

Working both fronts at same time, work straight at armhole edge, patt 1 row. Rep last 2 rows 3 (3, 2, 2, 3, 3, 3) times more.

NR – Left front: K to 2 sts before first p2, k2tog, p2, cable 8 (8, 10, 10, 10, 10, 10) sts, p1; Right front: p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, skp, k to end.

Patt 1 row.

Rep last 2 rows until 15 (17, 17, 21, 26, 30, 34) sts rem.

Cont straight until front meas same as back to shoulders.

### **Shape Shoulders**

NR (RS) – Left front: Cast off 7 (8, 8, 10, 12, 14, 16) sts, patt to end; Right front: Patt across.

NR (WS) – Right front: Cast off 7 (8, 8, 10, 12, 14, 16) sts, patt to end; Left front: Patt across.

NR (RS) – Left front: Cast off rem sts AT SAME TIME, work k2tog twice across cable sts; Right front: Patt across.

NR (WS) – Cast off rem sts AT SAME TIME, work k2tog twice across cable sts.

## **COMPLETE**

Use mattress st to sew all seams. Join left shoulder seam.

## **NECKBAND**

With RSF and 3.25mm (US 4) needles, pick up and k7 (7, 9, 9, 9, 9, 9) sts down back neck, k the back neck holder 13 (15, 17, 19, 19, 21, 21) sts, pick up and k7 (7, 9, 9, 9, 9, 9) sts up back neck, 31 (33, 35, 39, 41, 43, 43) sts down front neck, k centre st from holder and mark this st, pick up and k31 (33, 35, 39, 41, 43, 43) sts up front

neck – 90 (96, 106, 116, 120, 126, 126) sts.

NR (WS) – K1, p1 to 2 sts before center st, p2tog, p1, p2togtbl, k1, p1 to end.

NR (RS) – Rib to 2 sts before center st, skp, k1, k2tog, rib to end.

Rep these 2 rows 1 (1, 2, 2, 2, 3, 3) times more.

Work 1 more row.

Cast off loosely in rib and dec at center as established.

Join right shoulder and neckband seam.

## ARMHOLE BAND

With RSF and 3.75mm (US 5) needles, beg at underarm edge, pick up and k38 (41, 47, 51, 54, 55, 57) sts up armhole edge to shoulder seam, k38 (41, 47, 51, 54, 55, 57) sts down armhole edge – 76 (82, 94, 102, 108, 110, 114) sts.

K1, p1 rib 1 (1, 3, 3, 3, 5, 5) rows.

Change to 3.25mm (US 4) needles.

Rib for 2 more rows.

Cast off loosely in rib.

Work 2<sup>nd</sup> armhole to match.

Join side and armhole bands.

Lightly press seams on wrong side.

## 10ply BACK

With 4mm (US 6) needles, cast on 67 (71, 81, 91, 103, 113, 123) sts.

K1, p1 rib for 10 (10, 12, 12, 14, 14, 14) rows.

Change to 4.5 (US 7) needles.

Stst until piece meas 25 (29, 43, 46, 47, 48, 49) cm from beg, end with a WS row.

### Shape Armholes

Cast off 4 (4, 5, 5, 6, 6, 7) sts beg next 2 rows.

Dec1 st each end next 3 (3, 4, 4, 4, 5, 5) rows.

Dec 1 st each end every RS row 3 times – 47 (51, 57, 67, 77, 85, 93) sts.

Cont straight until piece meas 37 (42, 59, 64, 66, 67, 69) cm from beg, end with a WS row.

### Shape Neck & Shoulder

NR (RS) – K17 (18, 21, 25, 30, 33, 37) sts, turn, on these sts only.

Cast off 2 (2, 3, 3, 3, 3, 3) sts beg next row.

NR (RS) – Cast off 6 (7, 7, 9, 12, 13, 15) sts, k to end.

Cast off 3 (3, 4, 4, 4, 4, 4) sts beg next row.

Cast off rem 6 (6, 7, 9, 11, 13, 15) sts.

Return to sts on hold, slip next 13 (15, 15, 17, 17, 19, 19) sts to holder for centre back neck, rejoin yarn, work 2<sup>nd</sup> half to match, reversing shapings.

## FRONT

With 4mm (US 6) needles, cast on 71 (75, 85, 95, 107, 117, 127) sts.

Row 1 (RS) – K0 (0, 1, 0, 0, 1, 0), [p1, k1] 12 (13, 14, 17, 20, 22, 25) times; place marker, p2, [k2, p1 (1, 2, 2, 2, 2, 2)] twice, k2, p1, k1, p1, [k2, p1 (1, 2, 2, 2, 2, 2)] twice, k2, p2, place marker; [k1, p1] 12 (13, 14, 17, 20, 22, 25) times; k0 (0, 1, 0, 0, 1, 0).

Row 2 – K the knit sts and p the purl sts (= work sts as they appear).

Rep last 2 rows 4 (4, 5, 5, 6, 6, 6) times more.

Change to 4.5mm (US 7) needles.

### Beg Centre Cables

Row 1 (RS) – K24 (26, 29, 34, 40, 45, 50), p2; k2, p3 (3, 5, 5, 5, 5, 5), C3B; p3; C3F, p3 (3, 5, 5, 5, 5, 5), k2; p2, k24 (26, 29, 34, 40, 45, 50).

Row 2 – P24 (26, 29, 34, 40, 45, 50), k2; p2, k3 (3, 5, 5, 5, 5, 5), p3; k3; p3, k3 (3, 5, 5, 5, 5, 5), p2; k2, p24 (26, 29, 34, 40, 45, 50).

Cont in this manner, over centre 23 (23, 27, 27, 27, 27, 27) sts on RS rows work p2, then right slanting cable, p3, then left slanting cable, p2 and on WS rows work k2, then left slanting cable, k3, then right slanting cable, k2.

Patt until front meas 25 (29, 43, 46, 47, 48, 49) cm from beg, end with a WS row.

### Shape Armholes

Cast off 4 (4, 5, 5, 6, 6, 7) sts beg next 2 rows.

Dec 1 st each end next 0 (0, 2, 2, 2, 2, 2) rows.

### Shape V-Neck

NR (RS) – Dec 1 st at beg of row, k to 2 sts before first p2, k2tog, p2, cable 8 (8, 10, 10, 10, 10, 10)

sts, p1, slip next st to stitch holder (centre V-neck), join 2<sup>nd</sup> ball of yarn, p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, skp, k to end and dec 1 st at end of row.

Working both fronts at same time, patt 1 row and dec 1 st each end for armholes.

NR – Left front: Dec 1 st at beg of row, k to 4 sts before first p2, [k2tog] twice, p2, cable 8 (8, 10, 10, 10, 10, 10) sts, p1; Right front: p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, [skp] twice, k to end and dec 1 st at end of row.

Work straight at armhole edge, patt 1 row.

NR – Left front: Dec 1 st at beg of row, k to 2 sts before first p2, k2tog, p2, cable 8 (8, 10, 10, 10, 10, 10) sts, p1; Right front: p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, skp, k to end and dec 1 st at end of row.

Patt 1 row.

Rep last 2 rows 2 (2, 1, 1, 1, 2, 2) time(s) more.

NR – Left front: K to 2 sts before first p2, k2tog, p2, cable 8 (8, 10, 10, 10, 10, 10) sts, p1; Right front: p1, cable 8 (8, 10, 10, 10, 10, 10) sts, p2, skp, k to end.

Patt 1 row.

Rep last 2 rows until 14 (15, 16, 20, 25, 28, 32) sts rem.

Cont straight until front meas same as back to shoulders.

### Shape Shoulders

NR (RS) – Left front: Cast off 6 (7, 7, 9, 12, 13, 15) sts, patt to end; Right front: Patt across.

NR (WS) – Right front: Cast off 6 (7, 7, 9, 12, 13, 15) sts, patt to end; Left front: Patt across.

NR (RS) – Left front: Cast off rem sts AT SAME TIME, work k2tog twice across cable sts; Right front: Patt across.

NR (WS) – Cast off rem sts AT SAME TIME, work k2tog twice across cable sts.

## COMPLETE

Use mattress st to sew all seams. Join left shoulder seam.

## NECKBAND

With RSF and 4mm (US 6) needles, pick up and k6 (6, 8, 8, 8, 8, 8) sts

down back neck, k the back neck holder 13 (15, 15, 17, 17, 19, 19) sts, pick up and k6 (6, 8, 8, 8, 8, 8) sts up back neck, 29 (31, 33, 37, 39, 41, 41) sts down front neck, k centre st from holder and mark this st, pick up and k29 (31, 33, 37, 39, 41, 41) sts up front neck – 84 (90, 98, 108, 112, 118, 118) sts.

NR (WS) – K1, p1 to 2 sts before center st, p2tog, p1, p2togtbl, k1, p1 to end.

NR (RS) – Rib to 2 sts before center

st, skp, k1, k2tog, rib to end.

Rep these 2 rows 1 (1, 2, 2, 2, 2, 2) times more.

Work 1 more row.

Cast off loosely in rib and dec at center as established.

Join right shoulder and neckband seam.

### **ARMHOLE BAND**

With RSF and 4.5mm (US 7) needles, beg at underarm edge, pick up and k35 (38, 44, 48, 51,

52, 54) sts up armhole edge to shoulder seam, k35 (38, 44, 48, 51, 52, 54) sts down armhole edge – 70 (76, 88, 96, 102, 104, 108) sts.

K1, p1 rib for 1 (1, 3, 3, 3, 3, 3) rows.

Change to 4mm (US 6) needles.

Rib for 2 more rows.

Cast off loosely in rib.

Work 2<sup>nd</sup> armhole to match.

Join side and armhole bands.

sign up for free monthly newsletter and more

[www.naturallyyarnsnz.com](http://www.naturallyyarnsnz.com)

© 2012 Naturally. Not to be reprinted. All rights reserved.  
Wentworth Distributors NZ Ltd. proudly distributes:

